

robot coupe®



FOOD PROCESSORS : BOWL CUTTER/VEGETABLE PREPARATION
R 401 • R 402 • R 402 V.V.



wga

FOOD SERVICE EQUIPMENT

NEW



RESTAURANTS - CATERERS



▶ CUTTER-MIXER Function

All types of coarse and fine chopping, stuffings, emulsions, kneading and grinding.

NEW

Lid easy to position on bowl for quick and simple use.

An **all-metal motor base** for greater sturdiness.

The R 401 has a single speed of **1 500 rpm**.

The R 402 has 2 speeds. The **1 500 rpm speed is reserved for the cutter function**.

The R 402 V.V. has a speed range of **300 to 3 000 rpm**.



4.5-litre capacity, stainless-steel bowl with handle.

A **smooth blade** with a removable cap is supplied as a standard attachment.



Optional extras:

- **Serrated blade** assembly for all your grinding and kneading tasks.
- **Fine serrated blade** assembly for chopping parsley.



▶ VEGETABLE PREPARATION Function

Large hopper (area: 104 cm²) for the preparation of vegetables such as cabbage, celery, lettuce, tomatoes and so on.



For greater user comfort and speed of operation, **the lever can be used for automatically restarting the appliance**.


Round deep hopper (Ø 58 mm) designed for long or fragile vegetables and for **an outstanding cut quality**.



Removable lid and stainless-steel bowl.


The R401 has a single speed of **1 500 rpm**. The R402 has **2 speeds**. The 750 rpm speed is reserved for the vegetable preparation function and allows users to dice vegetables and make french fries.

Comprehensive range of stainless-steel discs available for all your fruit and vegetable preparation tasks, including slicing, ripple-cutting, shredding, grating, cutting into sticks and, for the R402 and R402 V.V. models, dicing and making french fries.



The R 402 V.V. has a speed range of **300 to 1 000 rpm**.

The slower speeds are for cutting fragile foodstuffs, while the higher ones allow a faster output.



Food Processors



The Main Benefits:

2 machines in 1 ! :

- A cutter bowl and a vegetable preparation attachment on the same motor base.

Processing capacity :

- Large hopper feed head (area : 104 cm²) for processing large vegetables such as celeriac, cabbage, lettuce.
- Cylindrical hopper (Ø 58 mm) designed for long and fragile vegetables.
- 4 litres stainless steel cutter bowl for emulsifying, grinding, chopping, kneading.

Wide range of cut :

- Complete collection of 28 stainless steel discs to satisfy all your requirements such as slicing, julienne, ripple cutting and grating as well as dicing and making French Fries for the R 402 and R 402 V.V. models.

Robust:

- Industrial heavy duty induction motor for longer lifespan and greater reliability.
- The metal motor base, stainless steel cutting bowl and stainless steel vegetable preparations bowl guarantee durability



Number of covers:

20 to 100



Target:

Restaurants, Caterers.



In brief :

Whichever model you choose, it will prove itself to be a sound investment, saving you time and money.



The widest variety of cuts available today!



6 SLICERS


1 mm

6 mm



1 RIPPLE CUTTER


2 mm



10 GRATERS

1,5 mm

9 mm



6 JULIENNE DISCS

2 x 2 mm

8 x 8 mm



3 DICERS

8 X 8 X 8 mm

12 X 12 X 12 mm



2 FRENCH FRIES ATTACHMENTS

8 x 8 mm

10 x 10 mm



Citrus press function



The citrus-press extracts the juice of oranges, lemons, grapefruits and others. it consists of a grey basket and cone.



Blade assemblies



SMOOTH-EDGED BLADES




e.g. fine and coarse mincing, sauces, etc.

FINE SERRATED BLADES



e.g. fine mincing, sauces, etc.

SERRATED BLADES



e.g. kneading, grinding, etc.

Slicer



1 mm
2 mm
3 mm
4 mm

ref.
27051
27555
27086
27566

5 mm
6 mm
Ripple cut 2 mm

ref.
27087
27786
27621

Julienne / French fries*



2 x 2 mm
2 x 4 mm
2 x 6 mm
4 x 4 mm
6 x 6 mm
8 x 8 mm

ref.
27599
27080
27081
27047
27610
27048

french fries* 8 x 8 mm
french fries* 10 x 10 mm

ref.
27116
27117

* only R 402 and R 402 V.V.


Grater



1,5 mm
2 mm
3 mm
6 mm
9 mm
horseradish paste 0.7 mm
horseradish paste 1 mm
horseradish paste 1.3 mm
parmesan
röstis potatoes

ref.
27588*
27577*
27511*
27046
27632
27078
27079
27130
27764
27191

Dicing*



8 x 8 x 8 mm
10 x 10 x 10 mm
12 x 12 x 12 mm

ref.
27113
27114
27298

* only R 402 and R 402 V.V.

Induction motor



- **Asynchronous heavy duty industrial motor** guarantees a longer life span and reliability
- Motor built on ball bearings for a silent running with no vibration.
- Direct drive motor :
- **Extra powerful** : No belt device.
- **No maintenance** : No brushes.
- **Stainless steel motor shaft.**

CE
Mark


Characteristics

Weight (kg)


	Characteristics						Weight (kg)	
	Motor base	Cutter attachment	Vegetable preparation attachment	Diced vegetables and french fries	Power (Watts)	Intensity* (Amp.)	Net	Gross
R 401	Single-phase 1500 rpm	4.5 litres Stainless Steel	Stainless Steel Selection of 23 discs	NO	700	230 V/1 50 Hz 5,7	13	16
R 402	Three-phase 750/1500 rpm	4.5 litres Stainless Steel	Stainless Steel Selection of 28 discs	YES	750	400 V*/3 50 Hz 3	15	18
R 402 V.V.	Single-phase 300 à 3000 rpm	4.5 litres Stainless Steel	Stainless Steel Selection of 28 discs	YES	1000	230 V/1 60 Hz 10	15	18

Dimensions (in mm)

	A	B	C	D	E	F	G	H	I	J
R 401	204	304	226	570	320	725	530	440	190	235
R 402	224	304	226	590	320	725	530	440	190	235
R 402 V.V.	224	304	226	590	320	725	530	440	190	235



Vegetable preparation attachment
common for all models



*Other voltages available.

STANDARDS :

Machines in compliance with :

- The following European directives and related national legislation : 98/37/EEC, 73/23/EEC, 89/336/EEC, 89/109/EEC, 2002/72/EEC.
- The following European harmonized standards setting out health and safety rules: EN 292 - 1 and - 2, EN 60204 - 1 (1998), EN 12852, EN 1678.



sales@wgafoodequip.com.au
02 4228 9733
www.wgafoodequip.com.au

