



**trueheat**  
GAS COOKING EQUIPMENT

RC SERIES



**wga**  
FOOD SERVICE EQUIPMENT

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS  
DESERVE CULINARY MUSCLE AT AN AFFORDABLE PRICE**

**COMCATER**  
- foodservice equipment



For the past 40 years, Comcater has been dedicated to delivering quality and innovative commercial kitchen equipment to the Australian Foodservice industry. Through foresight and experience, Comcater has earned the reputation as an industry leader.

We understand the needs of Australian Restaurant and Café kitchens and have designed and engineered a new accessible Restaurant and Café (RC) cooking series of gas equipment that delivers performance at an affordable price.



**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**





# PERFORMANCE & DESIGN

**AUSTRALIAN OWNED & DESIGNED\***

\*Manufactured in China

\*Start-up check includes checking installation, setting gas supply, adjusting gas settings for each pilot/burner/oven, 50 km within registered service agent



FS 605034

**..AT AN AFFORDABLE PRICE**

**MORE FEATURES  
MORE OPTIONS  
ENDLESS COMBINATIONS...**

 **Removable sides to accommodate large plates**

 **Adjustable shelf height**

 **Stylish range matched rail**

 **Pilot lights included as standard in open burners**

 **Front plate rail flush on trivets to facilitate ease of movement**


 **24MJ open burners**

 **Heavy duty oven door with our most powerful ever cast iron oven burner**

 **Durable stylish "matt finish" cast iron trivets**



**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**



Engineered high performance, even heating infrared barbecue in 400mm, 600mm and 900mm widths

Range match 400mm wide 18 litre gas open pot design fryer with premium fast action thermostat

Infill benches available in 300mm, 400mm and 600mm widths

35 litre gas pasta cooker with 6 portion baskets included as standard

800mm depth fits through any standard doorway

Automatic skimming with overflow drain

16mm premium grade griddle plate with insulated burner boxes

Burner, griddle combination available in 300mm, 600mm and 900mm widths

**ACROSS ENTIRE RANGE:**

- Piezo ignition standard on all enclosed burners
- Flame failure controls included as standard
- High performance quality SIT gas components
- Premium silk printed control dials
- Available in both Natural or LP gas

**..AT AN AFFORDABLE PRICE**

**PERFORMANCE & DESIGN**



AUSTRALIAN OWNED & DESIGNED\*

# OVEN RANGE

Durability, power and functionality combine to deliver an oven range that is designed to withstand the busiest kitchens.

- 24MJ Open burners with individual pilots and flame failure included as standard
- Durable, lightweight and flush cast iron trivets allow for easy moving of pots across cooking surface and deliver optimum burner efficiency
- 16mm thick Griddle with powerful cast iron H burner and premium grade insulation to enhance thermal efficiency
- Burner/Griddle combinations available in 300mm, 600mm and 900mm widths for greater flexibility
- Newly engineered sturdy pull-down door and well insulated cavities allow for quick heat up time and reduced heat loss
- Optional accessories include castors (with and without brakes) and gas hoses









RCR9-6

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**



## OVEN RANGE MODELS

600mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCR6-4</b>	4 Open top burners	600 x 830 x 1135
	<b>RCR6-2-3G</b>	2 Open top burners, 300mm Griddle <sup>^</sup>	600 x 830 x 1135
	<b>RCR6-6G</b>	600mm Griddle	600 x 830 x 1135
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCR9-6</b>	6 Open top burners	900 x 830 x 1135
	<b>RCR9-4-3G</b>	4 Open top burners, 300mm Griddle <sup>^</sup>	900 x 830 x 1135
	<b>RCR9-2-6G</b>	2 Open top burners, 600mm Griddle <sup>^</sup>	900 x 830 x 1135
	<b>RCR9-9G</b>	900mm Griddle	900 x 830 x 1135

<sup>^</sup>Griddle is standard to the right. Can be configured to the left.

**..AT AN AFFORDABLE PRICE**

**PERFORMANCE  
& DESIGN**



AUSTRALIAN OWNED & DESIGNED\*



# OPEN BURNER & GRIDDLE TOPS

Versatility, clean design and functionality combine to provide a cook top range that delivers performance yet is affordable.

- 24MJ Open burners with individual pilots and flame failure included as standard
- Durable, lightweight and flush cast iron trivets allow for easy moving pots and deliver optimum burner efficiency
- 16mm thick Griddle with powerful cast iron H burner and premium grade insulation to enhance thermal efficiency
- Burner/Griddle combinations available in 300mm, 600mm and 900mm widths for greater flexibility
- Suitable for counter top or on stand installations
- Optional accessories include castors with and without brakes for all stands (600mm and 900mm) and gas hoses












RCT9-6 shown with RCSTD9 stand

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**



## OPEN BURNER & GRIDDLE TOP MODELS

300mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCT3-2</b>	2 Open top burners	300 x 803 x 455
	<b>RCT3-3G</b>	300mm Griddle	300 x 803 x 455
	<b>RCSTD3</b>	300mm Stand complete with shelf	300 x 683 x 680
600mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCT6-4</b>	4 Open top burners	600 x 803 x 455
	<b>RCT6-2-3G</b>	2 Open top burners, 300mm Griddle <sup>^</sup>	600 x 803 x 455
	<b>RCT6-6G</b>	600mm Griddle	600 x 803 x 455
	<b>RCSTD6</b>	600mm Stand complete with shelf	600 x 683 x 680
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCT9-6</b>	6 Open top burners	900 x 803 x 455
	<b>RCT9-4-3G</b>	4 Open top burners, 300mm Griddle <sup>^</sup>	900 x 803 x 455
	<b>RCT9-2-6G</b>	2 Open top burners, 600mm Griddle <sup>^</sup>	900 x 803 x 455
	<b>RCT9-9G</b>	900mm Griddle	900 x 803 x 455
	<b>RCSTD9</b>	900mm Stand complete with shelf	900 x 683 x 680

<sup>^</sup>Griddle is standard to the right. Can be configured to the left.



**..AT AN AFFORDABLE PRICE**

**PERFORMANCE  
& DESIGN**



AUSTRALIAN OWNED & DESIGNED\*

# INFRARED BARBECUE

Our team of professionals have designed and engineered the ultimate barbecue by incorporating premium infrared technology.




- Fully heated in 20 minutes
- Accelerated or enhanced cooking compared to radiant barbecue
- Provides even distributed heat around the perimeter of the barbecue with minimal temperature loss
- Durable cast iron burners and high grade stainless steel hoods
- Available in 400mm, 600mm and 900mm widths
- Piezo ignition
- Suitable for counter top or on stand installations
- Optional accessories include castors with and without brakes for all stands and gas hoses



RCB4 shown with RCSTD4 stand

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**

## INFRARED BARBECUE MODELS

400mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCB4</b>	400mm Infrared gas barbecue	400 x 803 x 455
	<b>RCSTD4</b>	400mm Stand complete with shelf	400 x 683 x 680
600mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCB6</b>	600mm Infrared gas barbecue	600 x 803 x 455
	<b>RCSTD6</b>	600mm Stand complete with shelf	600 x 683 x 680
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCB9</b>	900mm Infrared gas barbecue	900 x 803 x 455
	<b>RCSTD9</b>	900mm Stand complete with shelf	900 x 683 x 680



**..AT AN AFFORDABLE PRICE**

**PERFORMANCE  
& DESIGN**




AUSTRALIAN OWNED & DESIGNED\*



# OPEN POT FRYER

- High grade stainless steel open pot tank
- Premium fast action thermostat
- Easy to clean
- 18 litre capacity
- Piezo ignition
- Range matches to Trueheat RC Series (including height)
- Gas connection under unit
- Includes standard accessories such as two baskets, cover, clean out rod and wire basket support grid
- 3 year parts warranty included on frypot
- Optional accessories including joining cap, splash shield, stainless steel fish plate and castors with and without brakes are available



400mm	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCF4</b>	400mm Open pot deep fryer	400 x 803 x 1235

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**

# PASTA COOKER

- High grade 316 grade stainless steel pot
- 35 litre capacity
- Cast iron H burner
- No electrical power requirement due to milli-volt control
- Simple tap adjustment with range matching Trueheat control knob to fill or trickle water
- 6 portion baskets included as standard
- Convert into noodle cooker with an optional accessory
- Piezo ignition
- Automatic skimming with overflow drain
- Optional accessories include bulk pasta basket and castors with and without brakes



400mm

Product Code

Description

Dimensions: (WxDxH) mm



**RCP4**

35L Pasta cooker

400 x 803 x 1135

**..AT AN AFFORDABLE PRICE**

**PERFORMANCE  
& DESIGN**



AUSTRALIAN OWNED & DESIGNED\*



# SALAMANDER

A heavy duty salamander complete with adjustable height cooking shelf. The powerful high speed gas burners radiate intense heat, which seal in the natural flavours and leave a grilled appearance on steaks, chicken, seafood and vegetables.



S86

- 100% Flame failure controls included as standard
- Stainless steel front, sides and top
- Removable sides accommodating oversized dishes and adjustable cooking shelf
- Includes wall mounting brackets
- 900mm wide range match stainless steel stand with bench available
- Piezo ignition

	Product Code	Description	Dimensions: (WxDxH) mm
	<b>S86</b>	Gas salamander broiler with brackets	515 x 860 x 440
	<b>RCS21004</b>	Stainless steel stand with bench and shelf with adjustable feet to suit salamander	900 x 803 x 1760

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE**






# INFILL BENCHES

Sturdy range matched infill benches with stand are available in 300mm, 400mm and 600mm widths.

- Legs and feet can be removed to allow infill benches to be suspended between units on either side (hardware not included)



RCSPR3

	Product Code	Description	Dimensions: (WxDxH) mm
	<b>RCSPR3</b>	300mm Infill bench	300 x 803 x 1125
	<b>RCSPR4</b>	400mm Infill bench	400 x 803 x 1125
	<b>RCSPR6</b>	600mm Infill bench	600 x 803 x 1125

**..AT AN AFFORDABLE PRICE**

**PERFORMANCE  
& DESIGN**



AUSTRALIAN OWNED & DESIGNED\*



**NATIONAL HEAD OFFICE**

156 Swann Drive,  
Derrimut, VIC 3026  
Phone: 03 8369 4600  
Fax: 03 8369 4699  
Email: sales@comcater.com.au

**EQUIPMENT SALES**

Phone: 1800 035 327  
Fax: 1800 808 954

**VIC/TAS SALES SHOWROOM &  
DEMONSTRATION KITCHEN**

96-100 Tope Street,  
South Melbourne, VIC 3205  
Phone: 03 8699 1200  
Fax: 03 8699 1299  
Email: sales@comcater.com.au

**NSW/ACT SALES SHOWROOM &  
DEMONSTRATION KITCHEN**

Unit 20/4 Avenue Of The Americas,  
Newington, NSW 2127  
Phone: 02 8775 9500  
Fax: 02 9648 4762  
Email: nswsales@comcater.com.au

**QLD/NT SALES SHOWROOM &  
DEMONSTRATION KITCHEN**

1/62 Borthwick Avenue,  
Murarrie, QLD 4172  
Phone: 07 3900 2700  
Fax: 07 3399 5311  
Email: qldsales@comcater.com.au

**WA SALES SHOWROOM &  
DEMONSTRATION KITCHEN**

16/7 Abrams Street,  
Balcatta, WA 6021  
Phone: 08 6217 0700  
Fax: 08 6217 0799  
Email: wasales@comcater.com.au

**SA SALES**

Phone: 0409 340 015  
Email: sasales@comcater.com.au

**EQUIPMENT SERVICING (24/7)**

Phone: 1800 810 161  
Fax: 03 8369 4696  
Email: service@comcater.com.au

**EQUIPMENT SPARE PARTS**

Phone: 1300 739 996  
Fax: 03 8369 4696  
Email: spares@comcater.com.au

**TECHNICAL PHONE SUPPORT**

Phone: 1300 309 262  
Fax: 03 8369 4696  
Email: techsupport@comcater.com.au

**wga**  
FOOD SERVICE EQUIPMENT

267 Keira Street Wollongong NSW 2500

02 4228 9733

[sales@wgafoodequip.com.au](mailto:sales@wgafoodequip.com.au)

[www.wgafoodequip.com.au](http://www.wgafoodequip.com.au)

For your nearest dealer, call 1800 035 327  
or visit [www.comcater.com.au](http://www.comcater.com.au)



FS 605034